

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	40044	ribs and frame\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	6795	13 and notch\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	1040	14 and vehicle\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	250	15 and cavity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
9	BRS	L9	10020	428/\$.ccls. and vehicle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	1438	9 and frame\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	992	10 and structure\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	186	11 and (rib\$1 or webs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
5	BRS	L5	663	e04c003/07.ipc.	EPO; JPO; DERWENT